

# TOUA

TOHONO O'ODHAM UTILITY AUTHORITY


## 2008 ANNUAL WATER QUALITY REPORT



**Photograph-Sells Water Tank**

*"Serving the Tohono O'odham Nation with electricity, telephone, water/wastewater service."*

# TOHONO O'ODHAM NATION



TOHONO O'ODHAM UTILITY AUTHORITY  
 P.O. BOX 816  
 SELLS, ARIZONA 85634  
 (602) 383-2236

### LEGEND

- District Boundary
- Road Road on other Reservation
- Road and/or
- National Boundary
- Interstate Highway
- Power Line 66
- State Route Number
- Interstate Highway State Number
- Indian Reservation State Number
- U.S. Route Number
- Indian Community
- Town
- Airfield
- School

COMPILED FROM  
 OFFICE OF HEALTH PROGRAMS  
 RESEARCH AND DEVELOPMENT  
 SANITATION FACILITIES CONSTRUCTION SECTION  
 ENVIRONMENTAL SERVICES BRANCH  
 TUCSON, ARIZONA  
 PUBLIC LAW 86-15  
 ENACTED BY CONGRESS, OCTOBER 1959; 2-10-60  
 CHECKED BY YORAN THOMAS DATE: 5-13-60

# The Water We Drink

The TOUA Water Department professionals within the Tohono O'odham Nation are very proud to provide you with the 2008 Annual Drinking Water Quality Report in order to keep you informed of the water quality and services we delivered to you over the past year. Our primary commitment is, and always will be, to provide you with a safe and dependable supply of drinking water. If you are a non-English speaking resident you may call TOUA at 383-5830 for a Tohono O'odham translation. The Utility Authority has regularly scheduled board meetings. If you have any questions about the meetings, this report, or questions concerning your water quality, please contact the water quality control laboratory at 520- 383-5834 or 520- 383-5897. We want our valued customers to be informed about their drinking water quality.

In 2008, TOUA served approximately 3000 water customers in the Tohono O'odham Nation. The water supply came from 68 ground water wells located in and around Tohono O'odham communities. Approximately 1.0 parts per million (ppm) of chlorine (12.5 % sodium hypochlorite solution) is added to the drinking water supply at well sites to provide assurance that water delivered to customers will remain free of microbiological contamination. This also ensures that the water meets microbiological drinking water standards from the time it is pumped from the ground until it reaches the customer's tap.

## Why do I need to read this?

In 1996, Congress passed amendments that require drinking water systems to give consumers important information about their water, including where it comes from, what is in the water, and how your water quality compares to federal standards. This report is brought to you in accordance with EPA's 40 Code of Federal Regulations NPDWR Parts 141 and 142. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. It is recommended that you keep this report as a reference source, as it provides useful information, as well as contacts and phone numbers you may need from time to time.

## What Are Drinking Water Standards?

Under the authority of the Safe Drinking Water Act (SDWA), EPA sets standards for approximately 90 contaminants in drinking water. For each of these contaminants, EPA sets a legal limit, called a maximum contaminant level, or requires a certain treatment. Water suppliers may not provide water that doesn't meet these standards. Water that meets EPA standards is safe to drink. Under SDWA, EPA sets standards for drinking water quality and oversees the states, localities, and water suppliers who implement those standards. The SDWA covers all public water systems with piped water for human consumption with at least 15 service connections or a system that regularly serves at least 25 individuals. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791 or visit the USEPA website at [www.epa.gov/safewater/contaminants/index.html](http://www.epa.gov/safewater/contaminants/index.html).

## ***Notice: Important Information***

Some people may be more vulnerable to drinking water contaminants than the general population. Immune-compromised persons, such as people with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers.

**During the year 2008, TOUA fully complied with all monitoring and reporting requirements as specified by the current Federal regulations. This information was reported to EPA Region IX in San Francisco.**

## **DEFINITIONS OF TECHNICAL AND REGULATORY TERMS**

**ACTION LEVEL (AL)**- The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**MAXIMUM CONTAMINANT LEVEL (MCL)** - The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLG as feasible using the best available treatment technology. MCLs are based on the recommendations of the scientific and public health community.

**MAXIMUM CONTAMINANT LEVEL GOAL (MCLG)**-The level of a contaminant in drinking water below which there is no known or expected risk to health.

**N/A** - Not Available

**NON-DETECT (ND)**-laboratory analysis indicates that the constituent is not present.

**PARTS PER MILLION (PPM)**=Milligrams per Liter (mg/L)-one part per million corresponds to one minute in two years.

**PARTS PER BILLION (PPB)**=Micrograms per liter (mcg/L)-one part per billion corresponds to one minute in 2,000 years.

**PICOCURIE PER LITER (pCi/L)** The quantity of radioactive material in one liter which produces 2.22 nuclear disintegrations per minute.

**SDWA**- Safe Drinking Water Act

### **Contaminants that may be present in source water include:**

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agriculture livestock operations and wildlife.
- Inorganic contaminants, such as salts and metals which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also, come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.



**Fluoride-** People who drink water containing fluoride in excess of the MCL over many years could get bone disease, including pain and tenderness of the bones. Children may get mottled teeth. Possible sources are erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories. We add Hydrofluosilicic Acid (23% - 25%) to the following wells that have low fluoride levels: Sells, and Little Tucson. With support and funding from the Indian Health Service and Center for Disease Control, we maintain an optimal level of 0.9 – 1.5 ppm. of fluoride.

**Nitrate-** Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant you should seek advice from your health care provider. Possible sources include runoff from fertilizer use; leaching from septic tanks, sewage; and erosion of natural deposits. Symptoms include shortness of breath and blue-baby syndrome. As a precaution we always notify physicians and health care providers in this area if there is ever a higher than normal level of nitrates in the water supply.

**Arsenic-** EPA recently finalized a reduction in the arsenic drinking water standard from 50 ppb down to 10 ppb. All water utilities must meet this future standard beginning January 2006. While your drinking water meets EPA standard for arsenic, it may contain low levels of arsenic. The new standard balances the current understanding of arsenic's possible health effects against the cost of removing arsenic from drinking water. EPA continues to research the health effect of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations, and is linked to other health effects such as skin damages and circulatory problems. Some people who drink water containing arsenic in excess of the MCL over many years could experience skin damage or problems with their circulatory system, and may have an increased risk of getting cancer.

**Lead and Copper-** These are naturally occurring metals, which are generally found at very low levels in source waters. However, these levels can increase when water contacts plumbing materials that contain lead, copper, or brass. Infants and young children are more vulnerable to lead in drinking water than the general population. While TOUA's water is within standards, concerned customers can take extra precaution to protect children from lead leaching by running the water for a few seconds. This is especially important if the water has been sitting in the pipes for a few hours or more. These same precautions may also help to give you the best tasting water.

**Disinfection By-Products-** Total Trihalomethanes (TTHM) and Haloacetic Acids (HAA5) are chemicals that are formed along with other disinfection by products when chlorine or other disinfectants used to control microbial contaminants in drinking water react with naturally occurring organic and inorganic matter in water.

**Adjusted Gross Alpha** – is a measure of radioactivity due to naturally occurring minerals in groundwater. This excludes the radioactivity contributed by either radon or uranium.

**Radium 226 and 228** – are two of the most common radium isotopes. Radium is a naturally occurring radionuclide, formed by the decay of uranium or thorium in the environment. It occurs at low concentrations in virtually all rock, soil, water, plants, and animals.

**Uranium** – is a metallic element, which is highly toxic and radioactive.

## RADIOCHEMICAL ACTIVITY AND COPPER / LEAD

VILLAGE	PWSID #	ADJUSTED GROSS ALPHA 2007	URANIUM ACTIVITY 2007	TOTAL RADIUM 226 & 228 2007	90% PERCENTILE VALUE FOR COPPER 2005 *2008	90% PERCENTILE VALUE FOR LEAD 2005 *2008
<b>Maximum Contaminant Level</b>		<b>15 pCi/L</b>	<b>30 PPB</b>	<b>5 pCi/L</b>	<b>Action Level 1.3 PPM</b>	<b>Action Level .015 PPM</b>
<b>Topawa Intertie/ Choulic/ South Komelic/ Coldfields</b>	<b>040-0001</b>	1	4	<.5	.14	.002
<b>Nolic Intertie/ Cababi/ San Luis</b>	<b>040-0002</b>	1	3	<.4	.11	<0.002
<b>Chui Chu</b>	<b>040-0003</b>	<1.0	13	.5	.06	<0.002
<b>Fresnal</b>	<b>040-0004</b>	1	6	<.4	.10	<0.002
<b>Queen's Well</b>	<b>040-0005</b>	<1.0	4	.4	<0.01	.002
<b>Covered Wells Regional</b>	<b>040-0006</b>	<1.0	8	<.4	.08	<0.002
<b>Charco 27</b>	<b>040-0008</b>	<1.0	18	<.4	.03	<0.002
<b>Whitehorse Pass</b>	<b>040-0013</b>	2	7	<.4	<.001	<0.002
<b>Kohatk</b>	<b>040-0016</b>	<1.0	9	<.5	.05	<0.002
<b>Santa Rosa Ranch/ Sil Nakya</b>	<b>040-0018</b>	<1.0	6	<.4	.09	.001
<b>New Fields</b>	<b>040-0019</b>	1	15	<.4	.34	<0.002
<b>Vaya Chin Intertie/ Hickiwan/ San Simon</b>	<b>040-0020</b>	<1.0	7	<.4	.06	<0.002
<b>Pia Oik</b>	<b>040-0021</b>	<1.0	2	<.6	.02	<0.002
<b>Ak Chin</b>	<b>040-0022</b>	<1.0	8	<.4	.05	<0.002
<b>Menager's Dam</b>	<b>040-0023</b>	<1.0	11	<.5	.07	<0.002
<b>San Miguel</b>	<b>040-0026</b>	<1.0	12	<.3	.16	<0.002
<b>Ventana</b>	<b>040-0027</b>	<1.0	7	.2	.08	.003
<b>North Komelic</b>	<b>040-0028</b>	<1.0	9	<.4	.10	<0.002
<b>Cowlic</b>	<b>040-0029</b>	<1.0	15	<.3	<0.01	<0.002

## RADIOCHEMICAL ACTIVITY AND COPPER / LEAD

VILLAGE	PWSID #	ADJUSTED GROSS ALPHA 2007	URANIUM ACTIVITY 2007	TOTAL RADIUM 226 & 228 2007	90% PERCENTILE VALUE FOR COPPER 2005 *2008	90% PERCENTILE VALUE FOR LEAD 2005 *2008
<b>Maximum Contaminant Level</b>		<b>15 pCi/L</b>	<b>30 PPB</b>	<b>5 pCi/L</b>	<b>Action Level 1.3 PPM</b>	<b>Action Level .015 PPM</b>
<b>Pisinemo Intertie/ Santa Cruz</b>	<b>040-0030</b>	<b>2</b>	<b>26</b>	<b>1</b>	<b>.05</b>	<b>&lt;0.002</b>
<b>Gunsight</b>	<b>040-0032</b>	<b>&lt;1.0</b>	<b>4</b>	<b>&lt;.4</b>	<b>.19</b>	<b>&lt;0.002</b>
<b>Cockleburr</b>	<b>040-0034</b>	<b>1</b>	<b>8</b>	<b>&lt;.6</b>	<b>.03</b>	<b>&lt;0.002</b>
<b>San Xavier West</b>	<b>040-0035</b>	<b>&lt;1.0</b>	<b>13</b>	<b>&lt;.4</b>	<b>.12</b>	<b>&lt;0.002</b>
<b>San Pedro</b>	<b>040-0036</b>	<b>&lt;1.0</b>	<b>5</b>	<b>&lt;.4</b>	<b>.09</b>	<b>&lt;0.002</b>
<b>Kaka</b>	<b>040-0037</b>	<b>&lt;1.0</b>	<b>3</b>	<b>1</b>	<b>.02</b>	<b>&lt;0.002</b>
<b>Vamori</b>	<b>040-0038</b>	<b>&lt;1.0</b>	<b>10</b>	<b>&lt;.4</b>	<b>.15</b>	<b>&lt;0.002</b>
<b>Little Tucson</b>	<b>040-0040</b>	<b>2</b>	<b>11</b>	<b>&lt;.4</b>	<b>.08</b>	<b>.002</b>
<b>Kerwo</b>	<b>040-0041</b>	<b>&lt;1.0</b>	<b>3</b>	<b>&lt;.3</b>	<b>.05</b>	<b>&lt;0.002</b>
<b>Sells Intertie/ Big Fields/ Pan Tak</b>	<b>040-0042</b>	<b>&lt;1.0</b>	<b>9</b>	<b>.1</b>	<b>.12*</b>	<b>.005*</b>
<b>Comobabi Intertie/ Crowhang</b>	<b>040-0220</b>	<b>&lt;1.0</b>	<b>5</b>	<b>&lt;.3</b>	<b>.26</b>	<b>.005</b>
<b>Greater Santa Rosa Intertie/ Santa Rosa Brd. School/ Anegam/ Palo Verde Stand/ Santa Rosa Sub./ Santa Rosa Village</b>	<b>040-0226</b>	<b>&lt;1.0</b>	<b>15</b>	<b>&lt;.4</b>	<b>.16</b>	<b>.003</b>
<b>San Xavier Ord (East)</b>	<b>040-0227</b>	<b>&lt;1.0</b>	<b>7</b>	<b>&lt;.4</b>	<b>.03</b>	<b>&lt;0.002</b>
<b>Jackrabbit</b>	<b>040-0231</b>	<b>2</b>	<b>13</b>	<b>&lt;.3</b>	<b>.08</b>	<b>.003</b>
<b>Ak Chin Nursing Home</b>	<b>040-0232</b>	<b>&lt;1.0</b>	<b>7</b>	<b>&lt;.4</b>	<b>.05*</b>	<b>.005*</b>
<b>Sikul Himatk</b>	<b>040-2015</b>	<b>1</b>	<b>4</b>	<b>&lt;.3</b>	<b>.01</b>	<b>.002</b>

Radiochemical results are from 2007. Next sampling 2013.

Copper - Lead results are from 2005 except where noted \* are 2008. Next sampling for Sells 2011 all other villages 2014.

## INORGANIC & ORGANIC CONTAMINANTS 2008

VILLAGE	PWSID #	ARSENIC	FLUORIDE	NITRATE	TTHM	HAA5	COLIFORM
Maximum Contaminant Level		10 PPB	4 PPM	10 PPM	100 PPB	60 PPB	#/Month
Topawa Intertie/ Choulic/ South Komelic/Coldfields	040-0001	9	1	1	5	ND	ND
Nolic Intertie/ Cababi/ San Luis	040-0002	12	1	2	5	ND	ND
Chui Chu	040-0003	8	1	5	7	ND	ND
Fresnal	040-0004	3	<1	2	ND	ND	ND
Queen's Well	040-0005	3	<1	2	32	2	ND
Covered Wells Regional	040-0006	33*	1	1	8	ND	ND
Charco 27	040-0008	7	1	9	2	ND	ND
Whitehorse Pass	040-0013	10	1	3	ND	ND	1-NOV.
Kohatk	040-0016	17	1	9	3	ND	ND
Santa Rosa Ranch/ Sil Nakya	040-0018	5	1	2	21	2	ND
New Fields	040-0019	11	2	2	ND	ND	ND
Vaya Chin Intertie/ Hickiwan/ San Simon	040-0020	3	1	7	ND	ND	ND
Pia Oik	040-0021	25	5	4	ND	ND	ND
Ak Chin	040-0022	26	1	2	ND	ND	ND
Menager's Dam	040-0023	27	2	6	ND	ND	ND
San Miguel	040-0026	12	2	1	5	ND	ND
Ventana	040-0027	2	1	5	ND	ND	ND
North Komelic	040-0028	32	1	2	ND	ND	ND
Cowlic	040-0029	9	1	1	3	ND	ND
Pisinemo Intertie / Santa Cruz	040-0030	11	2	2	ND	ND	ND

**\*Arsenic treatment pilot plant; after treatment results show ND**

Kohatk received violation for second quarter of 2008 where the running annual average of Nitrate was 10.42. Coliform Samples were positive for Total Coliforms Only.



## INORGANIC & ORGANIC CONTAMINANTS 2008

VILLAGE	PWSID #	ARSENIC	FLUORIDE	NITRATE	TTHM	HAA5	COLIFORM
Maximum Contaminant Level		10 PPB	4 PPM	10 PPM	100 PPB	60 PPB	#/Month
Gunsight	040-0032	2	<1	7	ND	ND	ND
Cockleburr	040-0034	30	4	7	ND	ND	ND
San Xavier West	040-0035	6	1	4	6	ND	ND
San Pedro	040-0036	5	1	4	5	ND	ND
Kaka	040-0037	3	1	4	ND	ND	ND
Vamori	040-0038	10	1	2	ND	ND	ND
Little Tucson	040-0040	8	<1	2	ND	ND	ND
Kerwo	040-0041	2	1	3	ND	ND	ND
Sells Intertie/ Big Fields/ Pan Tak	040-0042	9	1	2	ND	ND	ND
Sikul Himatk	040-2015	14	1	2	6	ND	ND
Comobabi Intertie/ Crowhang	040-0220	4	<1	2	6	ND	ND
Greater Santa Rosa Intertie/ Santa Rosa Brd. School/ Anegam/ Palo Verde Stand/ Santa Rosa Subdivision/ Santa Rosa Village	040-0226	19	1	6	13	3	ND
San Xavier East	040-0227	10	1	2	ND	ND	ND
Jackrabbit	040-0231	15	2	4	ND	ND	ND
Ak Chin Nursing Home	040-0232	29	1	2	9	ND	ND

**NUMBERS IN YELLOW EXCEED THE MAXIMUM CONTAMINATE LEVEL**

Color coded villages signify water Intertie.

Barium – Any results found were below 0.3 PPM and the MCL is 2 PPM

## MICROBIAL CONTAMINANTS

There was one positive sample detected in November 2008 in the village of White Horse Pass. The positive sample indicated total coliform positive only. **NO fecal coliforms were detected in any of the samples.** Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially harmful, bacteria may be present. The Total Coliform Rule requires water systems to meet a stricter limit for coliform bacteria. Coliform bacteria are usually harmless, but their presence in water can be an indication of disease-causing bacteria. When coliform bacteria are found, special follow-up tests are done to determine if harmful bacteria are present in the water supply. If this limit is exceeded, the water supplier must notify the public.

Fecal coliforms and E.coli are bacteria whose presence indicates that the water maybe contaminated with human or animal wastes. Microbes in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, headaches, or other symptoms. They may pose a special health risk for infants, young children, and people with severely compromised immune systems.



## Violations:

The community of Pia Oik exceeded the MCL for fluoride. Pia Oik will intertie to the Kerwo community by the end of the year 2009. The community of Kohatk's running annual average for Nitrate for the second quarter of 2008 exceeded the MCL of 10 PPM for that quarter due to maintenance done on well number two. The result was 10.42 PPM. Kohatk's annual average for the 2008 year was 9 PPM, under the MCL of 10 PPM. TOUA has received from EPA delayed implementation waivers for all communities that exceed the new arsenic level of 10 PPB.

## WHO CAN YOU CONTACT FOR MORE INFORMATION?

For more information on this TOUA Water report contact Myrt McIntyre with the Water Quality Control Laboratory. Call 520-383-5834 or e-mail your questions to [Myrt.mcintyre@hq.toua.net](mailto:Myrt.mcintyre@hq.toua.net).

### Telephone Numbers:

TOUA Main Line 520-383-2236

TOUA Water Department 520-383-5831

Trouble Line 611

David Saddler, Manager Water/Wastewater Department 520-383-5830

Cauy Washburn, Superintendent Water/Wastewater Department 520-383-5835

Water Quality Control Laboratory 520-383-5897

USEPA Water Hotline 1-800-426-4791



In 2008, TOUA collected additional annual monitoring data. The results are available at TOUA Water Laboratory. This report is also available on the TOUA web page, [www.toua.net](http://www.toua.net).

## TOUA Water Department Professionals



**Tohono O'odham Utility Authority**  
**P.O. Box 816**  
**Sells, AZ 85634**

┌

└